


Rodamiento conico 88900-88128-TIMKEN - 88900-88128-TIMKEN

<https://www.123rodamiento.es/rodamiento-cojinete/rodamiento-rodillos/conico/88900-88128-timken>

TAPERED ROLLER BEARINGS
SINGLE-ROW • TYPE TS

TYPE TS



| Bearing Dimensions | | | Load Ratings | | | | | | Part Number | |
|--------------------|---------|---------|---------------------------------------|-------------------------|---------------------------------------|--------------------------------------|-----------------------|-------|-------------|--|
| Bore d | O.D. D | Width B | Dynamic ⁽¹⁾ C ₁ | Factor ⁽²⁾ e | Dynamic ⁽¹⁾ C ₂ | Factor ⁽²⁾ e ₂ | Static C ₀ | Inner | Outer | |
| mm | mm | mm | N | | N | N | N | | | |
| 228.600 | 327.025 | 52.388 | 52900 | 1.23 | 143000 | 119000 | 821000 | 88900 | 88128 | |
| 9.0000 | 12.6750 | 2.0625 | 124000 | | 32200 | 26800 | 189000 | | | |

| Bearing Dimensions | | | | | | | | | | Geometry Factors | | | Bearing Weight | |
|--------------------|---------|--------------------------|---|---|---|---|-------------------------------|-------------------------------|-------------------------------|------------------|----------------|----------------|----------------|-------|
| Shaft | | | | | Housing | | | | | Cage | | | | |
| Width B | Width C | ER. Dr. α ⁽¹⁾ | Max Shaft Fillet Radius R ₁ ⁽¹⁾ | Backing Shoulder Dia. d _s ⁽¹⁾ | Max Housing Fillet Radius r ₁ ⁽¹⁾ | Backing Shoulder Dia. D _s ⁽¹⁾ | A ₁ ⁽¹⁾ | A ₂ ⁽¹⁾ | A ₃ ⁽¹⁾ | G ₁ | G ₂ | C ₃ | kg | |
| 40.212 | 94.905 | 14.2 | 6.4 | 242.0 | 253.0 | 3.3 | 309.0 | 302.0 | 11.1 | 2.7 | 850.1 | 188.1 | 0.1362 | 12.08 |
| 1.5875 | 3.7500 | 0.56 | 0.25 | 9.53 | 9.96 | 0.13 | 12.17 | 11.89 | 0.43 | 0.11 | | | | 26.65 |

CARACTERÍSTICAS DEL PRODUCTO

| | |
|-------------------|---------------|
| Marca | TIMKEN |
| Nº Ean13 | 3663952327617 |
| Diámetro interior | 228.6 mm |
| Diámetro exterior | 327.025 mm |
| Espesor | 52.388 mm |
| Envasado | 1 |

contacto@123rodamiento.es

911 436 830

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE